

GILTGRIP 777 Version 1 Revision Date 01-Jun-2017 Supersedes Date: 01-Jun-2017

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name GILTGRIP 777
Pure substance/mixture mixture

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use Adhesives.

Uses Advised Against

This article contains hazardous substances or mixtures intended to be released under

normal or reasonably foreseeable conditions of use.

1.3. Details of the Supplier of the Safety Data Sheet

Company NameBostik Australia Pty LtdBostik New Zealand Limited51-71 High street,19 Eastern Hutt Road Wingate,Thomastown Victoria

Lower Hutt, New Zealand Australia

Tel: 04-567 5119 Tel: 613 9279-9333 Fax: 04-567 5412 Fax: 613 9279-9342

24-hr Emergency: 1800 033 111

1.4. Emergency Telephone Number

Emergency Telephone 24 Hr: 0800 243 622

Poison Centre: 0800 764 766

E-mail address SDS.AP@Bostik.com

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the Substance or Mixture

Aspiration toxicity	Category 1 (6.1E ^g)
Skin Corrosion/Irritation	Category 2 (6.3A)
Reproductive toxicity	Category 2 (6.8B)
STOT - Single Exposure	Category 3 (f)
Acute aquatic toxicity	Category 2 (9.1D)
Chronic aquatic toxicity	Category 2 (9.1B)
Flammable Liquids	Category 2 (3.1B)

Classification in parenthesis is applicable for New Zealand Hazard Classification

ERMA Group HSR002665

2.2. Label Elements

GILTGRIP 777 Version 1

on 1 Supersedes Date: 01-Jun-2017

Revision Date 01-Jun-2017



Signal Word

DANGER

Hazard statements

- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H336 May cause drowsiness or dizziness
- H361 Suspected of damaging fertility or the unborn child
- H411 Toxic to aquatic life with long lasting effects
- H225 Highly flammable liquid and vapor

Precautionary Statements - Prevention

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P281 Use personal protective equipment as required
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P271 Use only outdoors or in a well-ventilated area
- P273 Avoid release to the environment
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P233 Keep container tightly closed
- P240 Ground/bond container and receiving equipment
- P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment
- P242 Use only non-sparking tools
- P243 Take precautionary measures against static discharge
- P235 Keep cool

Precautionary Statements - Response

P321 - Specific treatment (see supplemental first aid instructions on this label)

Inhalation

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P363 - Wash contaminated clothing before reuse

Ingestion

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P331 - Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

Spill

P391 - Collect spillage

Precautionary Statements - Storage

P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other Hazards

GILTGRIP 777

Revision Date 01-Jun-2017

Version 1

Supersedes Date: 01-Jun-2017

-_____

__

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical Name	CAS No.	Weight-%
Cyclohexane	110-82-7	10 - <20
Methylcyclohexane	108-87-2	5 - <10
Hexane	110-54-3	1 - <5
Toluene	108-88-3	1 - <3
Acetone	67-64-1	1 - <3

^{***} Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

General Advice If medical advice is needed, have product container or label at hand.

Inhalation Remove to fresh air.

Skin Contact Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/

attention.

Eye contact In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice. Remove contact lenses, if present and easy to do. Continue rinsing. Call a

physician immediately.

Ingestion If swallowed, do not induce vomiting: seek medical advice immediately and show this

container or label.

Self-protection of the First Aider Use personal protection recommended in Section 8. Isolate the hazard area and deny

entry to unnecessary and unprotected personnel.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

4.4. Reference to Other Sections

Reference to Other Sections See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND

STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media Use CO2, dry chemical, or foam.

Unsuitable Extinguishing Media No information available.

5.2. Special Hazards Arising from the Substance or Mixture

Specific Hazards Arising from the Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

Chemical

GILTGRIP 777 Revision Date 01-Jun-2017 Supersedes Date: 01-Jun-2017 Version 1

5.3. Advice for Firefighters

Special Protective Equipment for Wear self contained breathing apparatus for fire fighting if necessary.

Fire-fighters

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate

ventilation, especially in confined areas.

Other Information Water spray may reduce vapor; but may not prevent ignition in closed spaces.

For Emergency Responders Use personal protection recommended in Section 8. Isolate the hazard area and deny

entry to unnecessary and unprotected personnel.

6.2. Environmental Precautions

Do not empty into drains, dispose of this material and its container at hazardous or **Environmental Precautions**

special waste collection point.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Dike far ahead of spill; use dry sand to contain the flow of material. Contain and collect

> spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations

(see Section 13). Protect from moisture.

Methods for Cleaning up Use clean non-sparking tools to collect absorbed material. Dike far ahead of liquid spill

for later disposal.

6.4. Reference to other sections

See Section 12: ECOLOGICAL INFORMATION **Reference to Other Sections**

Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take

precautionary measures against static charges. Use explosion-proof

electrical/ventilating/lighting/equipment.

7.2. Conditions for Safe Storage, including any Incompatibilities

General Hygiene Considerations Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work

area and clothing is recommended.

Keep only in the original container/package in a cool well-ventilated place. Protect from **Storage Conditions**

moisture. Protect from direct contact with water or excessive moisture.

Incompatible Materials Strong acids and bases

7.3. Specific End Use(s)

No information available. Other Information

7.4. References to Other Sections

Reference to Other Sections See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND

STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

GILTGRIP 777 Revision Date 01-Jun-2017 Version 1 Supersedes Date: 01-Jun-2017

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure Limits

Chemical Name	New Zealand	Australia	European Union
Cyclohexane	TWA: 100 ppm	100 ppm	TWA: 200 ppm
110-82-7	TWA: 350 mg/m ³	350 mg/m ³	TWA: 700 mg/m ³
	STEL: 300 ppm	300 ppm STEL	
	STEL: 1050 mg/m ³	1050 mg/m ³ STEL	
Methylcyclohexane	TWA: 400 ppm	400 ppm	-
108-87-2	TWA: 1610 mg/m ³	1610 mg/m ³	
Hexane	TWA: 20 ppm	20 ppm	TWA: 20 ppm
110-54-3	TWA: 72 mg/m ³	72 mg/m ³	TWA: 72 mg/m ³
Toluene	TWA: 50 ppm	50 ppm	TWA: 50 ppm
108-88-3	TWA: 188 mg/m ³	191 mg/m ³	TWA: 192 mg/m ³
	Skin	150 ppm STEL	STEL: 100ppm
		574 mg/m ³ STEL	STEL: 384mg/m ³
			S*
Acetone	TWA: 500 ppm	500 ppm	TWA: 500 ppm
67-64-1	TWA: 1185 mg/m ³	1185 mg/m ³	TWA: 1210 mg/m ³
	STEL: 1000 ppm	1000 ppm STEL	
	STEL: 2375 mg/m ³	2375 mg/m ³ STEL	

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL
Cyclohexane	TWA: 100 ppm	IDLH: 1300 ppm	TWA: 300 ppm
110-82-7		TWA: 300 ppm	TWA: 1050 mg/m ³
		TWA: 1050 mg/m ³	
Methylcyclohexane	TWA: 400 ppm	IDLH: 1200 ppm	TWA: 500 ppm
108-87-2		TWA: 400 ppm	TWA: 2000 mg/m ³
		TWA: 1600 mg/m ³	_
Hexane	TWA: 50 ppm	IDLH: 1100 ppm	TWA: 500 ppm
110-54-3	S*	TWA: 50 ppm	TWA: 1800 mg/m ³
		TWA: 180 mg/m ³	•
Toluene	TWA: 20 ppm	IDLH: 500 ppm	TWA: 200 ppm
108-88-3		TWA: 100 ppm	Ceiling: 300 ppm
		TWA: 375 mg/m ³	
		STEL: 150 ppm	
		STEL: 560 mg/m ³	
Acetone	STEL: 500 ppm	IDLH: 2500 ppm	TWA: 1000 ppm
67-64-1	TWA: 250 ppm	TWA: 250 ppm	TWA: 2400 mg/m ³
	• •	TWA: 590 mg/m ³	

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available

(PNEC)

Other Information No information available

8.2. Exposure Controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

PPE - Personal Protection Equipment

Respiratory Protection

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing. No special technical protective measures are

necessary under normal conditions.

Hand Protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers. No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask,

GILTGRIP 777 Revision Date 01-Jun-2017 Supersedes Date: 01-Jun-2017

General Hygiene Considerations

or for short periods of work, a combination of professional filter is recommended. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

Not applicable for liquids

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Appearance Viscous Paste
Color Brown
Odor Solvent

Odor Threshold No information available

Property Values Remarks • Method

pH No information available
Melting Point/Freezing Point No information available
Boiling Point approx 50 °C / 122 °F
Flash Point approx -15 °C / 5 °F
Evaporation Rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

Upper Flammability Limit 7.5 Lower Flammability Limit 1.1

Vapor PressureNo information availableVapor DensityNo information availableRelative DensityNo information available

Water Solubility Negligible

Solubility in Other Solvents No information available **Partition Coefficient** No information available No information available **Autoignition Temperature** No information available **Decomposition Temperature Kinematic Viscosity** No information available **Dynamic Viscosity** No information available No information available **Explosive Properties Oxidizing Properties** No information available

9.2. Other Information

Softening Point
Molecular Weight
Solvent Content (%)
No information available
No information available
No information available

Solid Content (%) approx 48.5

Density 1.15 g/cm³

Bulk Density No information available

VOC > 300

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical Stability

Stability Stable under recommended storage conditions

10.3. Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization None under normal processing.

GILTGRIP 777 Revision Date 01-Jun-2017 **Version** 1 **Supersedes Date**: 01-Jun-2017

·

10.4. Conditions to Avoid

Conditions to Avoid Keep away from heat, sparks and flames. Protect from moisture.

10.5. Incompatible Materials

Incompatible Materials Strong acids and bases.

10.6. Hazardous Decomposition Products

Hazardous Decomposition

Products

Carbon oxides.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied

information.

InhalationNo Data Available.Eye contactNo Data Available.Skin ContactNo Data Available.IngestionNo Data Available.

Numerical measures of toxicity

Unknown acute toxicity

17.11595 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

17.11595 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

11.54715 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

19.86848 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

25.00601 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Cyclohexane 110-82-7	= 12705 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 13.9 mg/L (Rat) 4 h
Methylcyclohexane 108-87-2	> 3200 mg/kg (Rat)	>2920 mg/Kg bw (rat) 24 hour	>23 mg/l (vapour) (Rat- OECD 403)
Hexane 110-54-3	= 25 g/kg (Rat)	= 3000 mg/kg (Rabbit)	= 48000 ppm (Rat) 4 h
Toluene 108-88-3	= 2600 mg/kg (Rat)	= 12000 mg/kg(Rabbit)	> 20 mg/L (Rat) 4 h
Acetone 67-64-1	= 5800 mg/kg (Rat)	>15800 mg/Kg (rat)	= 79 mg/l(Rat) 4 h

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Sensitization
Germ Cell Mutagenicity
No information available.
No information available.
No information available.

Reproductive Toxicity Product is or contains a chemical which is a known or suspected reproductive hazard.

STOT - Single Exposure
STOT - Repeated Exposure
No information available.
No information available.

Target Organ Effects Central nervous system, Eyes, Kidney, Liver, Peripheral Nervous System (PNS),

Respiratory system, Skin. No information available.

Aspiration Hazard No information available. Carcinogenicity No information available.

Chemical Name	IARC	China	Japan
Toluene	Group 3	-	=

GILTGRIP 777 Revision Date 01-Jun-2017 Version 1 Supersedes Date: 01-Jun-2017

Research on Cancer)

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product Information

Toxic to aquatic life with long lasting effects.

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/Aquatic Plants	Fish	Crustacea
Cyclohexane	EC50 72 h > 9.3 mg/L	LC50 96 h 23.03 - 42.07 mg/L	EC50 24 h > 400 mg/L (Daphnia
110-82-7	(Pseudokirchnerella subcapitata)	(Pimephales promelas static) LC50 96 h 48.87 - 68.76 mg/L (Poecilia	magna)
		reticulata static) LC50 96 h 3.96 -	
		5.18 mg/L (Pimephales promelas	
		flow-through) LC50 96 h 24.99 -	
		44.69 mg/L (Lepomis macrochirus	
		static)	
Methylcyclohexane	10 mg/l (Pseudokirchneriella	2.07 mg/l (Oryzias latipes)	3 mg/l (Daphnia magna - OECD
108-87-2	subcapitata - OECD 201)		202)
Hexane	-	LC50 96 h 2.1 - 2.98 mg/L	EC50 24 h > 1000 mg/L (Daphnia
110-54-3		(Pimephales promelas	magna)
		flow-through)	
Toluene	EC50 72 h = 12.5 mg/L	LC50 96 h 5.89 - 7.81 mg/L	EC50 48 h 5.46 - 9.83 mg/L
108-88-3	(Pseudokirchneriella subcapitata)	(Oncorhynchus mykiss	(Daphnia magna Static) EC50 48 h
		flow-through) LC50 96 h = 5.8	= 11.5 mg/L (Daphnia magna)
		mg/L (Oncorhynchus mykiss	
		semi-static)	
Acetone	-	LC50 96 h 4.74 - 6.33 mL/L	EC50 48 h 10294 - 17704 mg/L
67-64-1		(Oncorhynchus mykiss)	(Daphnia magna Static)

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

No information available.

12.5. Results of PBT and vPvB Assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other Adverse Effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste from Residues/Unused Products

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

GILTGRIP 777 Revision Date 01-Jun-2017 Version 1 Supersedes Date: 01-Jun-2017

-_____

Section 14: TRANSPORTATION INFORMATION

IMDG

UN/ID No
UN1133
Proper Shipping Name
Hazard Class
Packing Group
EmS-No
UN1133
Adhesives
II
F-E, S-D

Limited Quantity (LQ) 5 L

Description UN1133, Adhesives, 3, II, (-15°C c.c.)

IATA

UN/ID No UN1133 Proper Shipping Name Adhesives

Hazard Class 3
Packing Group II
ERG Code 3L
Limited Quantity (LQ) 1 L
Special Provisions A3

Description UN1133, Adhesives, 3, II

ADR

UN/ID No UN1133

Proper Shipping Name Adhesives, Environmentally Hazardous

Hazard Class 3
Hazard Labels 3
Packing Group II

Description UN1133, Adhesives, Environmentally Hazardous, 3, II, (D/E)

Environmental Hazard yes
Limited Quantity (LQ) 5 L
Special Provisions 640C
Classification Code F1
Tunnel Restriction Code (D/E)

Section 15: REGULATORY INFORMATION

National Regulations

Section 16: OTHER INFORMATION

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 01-Jun-2017

Revision Note Not applicable.

Training Advice Provide adequate information, instruction, and training for operator

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process,

GILTGRIP 777

Version 1

Revision Date 01-Jun-2017

Supersedes Date: 01-Jun-2017

unless specified in the text.

End of Safety Data Sheet